

■ GEBERIT

150
YEARS
OF TOMORROW

GEBERIT DUOFIX INSTALLATION SYSTEMS

BEHIND THE WALL INSTALLATION TECHNOLOGY



**KNOW
HOW
INSTALLED**

INSPIRING BATHROOMS DESIGNED FOR LIFE

GEBERIT IS A EUROPEAN MARKET LEADER IN THE FIELD OF SANITARY PRODUCTS, PROVIDING OUTSTANDING ADDED VALUE IN SANITARY TECHNOLOGY AND BATHROOM PRODUCTS.

Geberit is a global ambassador for quality with sales offices in over 50 countries. There are 29 production sites worldwide, with headquarters in Rapperswil-Jona, Switzerland, where Caspar Melchior Albert Geberit founded the company in 1874.

Over 12,000 employees are committed to providing customers with innovative, sustainable and durable products of the highest quality. We pride ourselves on our strong competence for innovation, enabled and supported by the Group's wide-ranging research and development activities. Customers can rest assured that new products meet their needs – not to mention the very highest quality standards with 60 Years of concealed cisterns since 1964.



THE PERFECT PARTNER FOR YOUR NEXT PROJECT

GEBERIT VALUES



KNOW-HOW

We bring 150 years of experience to every new bathroom with every feature carefully crafted and designed to simplify the installation process and optimise performance.



INNOVATION

With unrivalled behind the wall technology and inspirational new ceramics, we offer the complete bathroom solution - the perfect balance of elegant design and outstanding function.



PARTNERSHIP

We work closely with our partners across every service and development. From industry-leading logistical support to training and technical support to product development, delivery and availability.



RELIABILITY

Our total focus on performance means our products combine safety and durability with ease of installation. In the endurance testing labs, cisterns, filling valves, shower toilets, flush plates and taps are subjected to computer controlled lifecycle testing.



QUALITY OF LIFE

From Rimfree® technology and stylish flush plates to exceptional water economy, we make life easier, more comfortable and more liveable.

THE TRADITION OF HIDING CONCEALED CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom or toilet. Every detail of this product is ingenious and has been proven a million times over. Plumbers and end users have trusted the one-piece leak-proof cisterns from Geberit for more than 60 years.



EVENTFUL HISTORY

Geberit has more than 60 years experience in the field of concealed cisterns. Since 1964 Geberit is working on product improvement and has constantly developed the quality and functionality of the cisterns.



TRIED AND TRUSTED

The Geberit concealed cisterns have been installed worldwide, more than 70 million times.



BEAUTIFUL DESIGN

A concealed solution and beautiful flush plates offers a lot of design options for your bathroom.



INNOVATIVE AND FUNCTIONAL DESIGN

Actuator plates are available in an easy-to-clean coated option, in a screwable version and almost all Sigma flush plates can be combined with Geberit DuoFresh, our odour extraction unit.



WITHSTANDING HEAVY LOAD

The Geberit Duofix frame solutions are designed and tested to withstand loads of 400KG.



SAVING WATER

The water consumption can be sustainably reduced with a Geberit dual flush actuation for the toilet.



OPENING SPACE

As soon as the sanitary technology hides behind the wall, a new feeling of space is created.



EASY TO CLEAN

The fewer edges, joints and corners, the simpler to clean and more hygienic.



PREMIUM QUALITY

All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.



LEAKPROOF

Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving the factory.



50 YEARS SPARE PARTS AVAILABILITY

50 years spare parts availability for Geberit Sigma and Omega and 25 years spare parts for Kappa and Delta.



DIGITAL SUPPORT

Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.



INSTALLATION SYSTEMS

Available for all Geberit Duofix installation systems.



ELECTRIC CONNECTION

The cisterns are prepared for a hidden or visible electric connection in case you want to upgrade your toilet.



GEBERIT AQUACLEAN SHOWER TOILETS

Perfectly prepared for the installation of Geberit shower toilets with innovative comfort functions.



PERFORMANCE FLUSHING

Optimised with Turbo Flush for a perfect wash-out of Geberit toilet ceramics, with water-saving flushing.


EVOLUTION TIMELINE OF THE BATHROOM

Do you remember when it was normal to flush the chain? Now we are more likely to pull a lever, press a button or even wave our hand over a sensor?

Do you remember when our TVs were large, chunky and placed on a stand or cabinet. Now it's more likely to see them hung on a wall as they're so thin and the viewing quality is so much better!

Soon we'll look at our bathrooms and will feel old fashioned if we don't have our frames neatly concealed behind the wall.

Things are evolving constantly, not only technology but products within the home. The latest must have for the bathroom is a wall-hung toilet which transforms a room into a spacious and contemporary bathroom.



GEBERIT DUOFIX FRAMES



FOR ALL CIRCUMSTANCES GEBERIT DUOFIX

- Frames available in a range of heights, depths and functionalities
- Easily Installed with only four fixing points
- Adjustable drainage bend positioning
- Pre-wall fixing brackets and 90° bend included
- Tested to withstand 400KG of weight

← Geberit Duofix element for wall-hung toilet, ready for installation and equipped with cistern, conduit pipes and electrical connection point for a Geberit AquaClean shower toilet.



With Geberit Duofix, the plumber and the sanitary engineer can choose from a comprehensive range of universal self supporting installation elements.

Together with the associated rails and studs, these elements can be used to create complete, statically load-bearing prewall and partition wall installations including tile-bearing panelling – and all this quickly and cleanly on site. These enable free placement of the various sanitary appliances. Room-height prewalls do not require anchoring on the back side.

INSTALLATION TECHNOLOGY TRIED AND TESTED


Geberit Duofix provides you with a variety of design possibilities – whether it's used as a single element or in a system. The advantages of the sophisticated installation technology with infinitely variable positioning options come into full effect for everyday operations on building sites.




↑ Stepped setting of the outlet bend for the Geberit Duofix element for wall-hung toilet.



↑ Simple, precise height adjustment using position-holding feet.



↑ Predetermined positions for water and mains connections.



↑ Comfortable depth adjustment from the front thanks to the installation kit for direct anchoring on the building.

All Geberit Duofix installation elements are prepared at the plant so that they can be installed quickly at the building site and connected with the required water supply and drainage. The work can easily be carried out by a single person. Self-tapping screws are used to fasten the element to a frame structure on a lightweight wall. Geberit provides an installation kit for direct anchoring on the building structure which you can use to comfortably set the depth adjustment from the front.

USING SYSTEM RAIL

You can have a complete partition wall installation with tile-bearing panelling in an instant with the Geberit Duofix system rails for ceiling and floor as well as the room-height studs. You can easily fix the studs into the ceiling rail and pull them out from the bottom with a simple 90° turn. Thanks to the telescopic technology, you can do this without tools and without cutting to length. The studs are secured with a spring clip in the system rail on the floor. A swivelling head also facilitates installation with roof pitches.



↑ Attach the Geberit Duofix acoustic insulation tape and anchor the system rails in the floor and ceiling.



↑ Twist the Geberit Duofix studs into the ceiling rail and pull out the telescopic extension downward.



↑ Place the Geberit Duofix installation element in the correct position. For part-height prewalls, fasten with a wall anchor...



↑ ...and then secure using Geberit Duofix system rail clips.



← You can find the control electronics, mixing valve and additional components of the Geberit Duofix element for an electronic wall-mounted tap in a separate function box where they are protected yet still easily accessible.

THE WHOLE RANGE OF GEBERIT DUOFIX

Whether it's a new construction or a renovation: the wide range of Geberit Duofix installation elements provides impressive solutions for both conventional and unusual construction situations.



↑ **FULL HEIGHT INSTALLATION**
The Geberit Duofix element for wall-hung toilet with Sigma concealed cistern, 12cm. Available in two heights and less able solution.
111.383.00.3



↑ **FLUSH ACTUATION AT THE TOP OR FRONT**
Geberit Duofix element for wall-hung toilet with Omega concealed cistern at 82cm.
111.004.00.3



↑ **FLOOR-EVEN SHOWER**
Geberit Duofix element for shower with wall drain.
111.591.00.1



↑ **VANDAL-RESISTANT FLUSH CONTROL**
Geberit Duofix element for urinals for hidden and vandal-resistant urinal flush control.
111.689.00.1



↑ **FOR WASHBASINS**
Geberit Duofix frame for washbasin deck-mounted. Wall mounted available.
111.495.00.1



↑ **FOR BIDETS**
Geberit Duofix element for bidet.
111.510.00.1

GEBERIT CONCEALED CISTERNS





-25%

WALL-HUNG CONCEALED ADVANTAGES




SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide.



TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.




CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semi public areas like hotels or office buildings this is important.


CONCEALED CISTERNS AT A GLANCE

GEBERIT CONCEALED CISTERNS


- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components
 - 50 years for Sigma and Omega and 25 years for Delta and Kappa.



←
12CM CISTERN-THICKNESS
In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Delta 12cm.





←
8CM CISTERN-THICKNESS
Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose either Sigma 8cm.



←
LOW-HEIGHT SITUATIONS
Solution for low-height installation with element heights 82cm, choose Omega (top or front access). For a height of 98cm go for Delta or Sigma (front access).

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities. Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.

DRYWALL INSTALLATION




Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete room height prewalls or partition walls.

GEBERIT RANGE OVERVIEW




GEBERIT SIGMA CISTERNS & FRAMES




Geberit Sigma concealed cistern, 6/3 litres

Art. no.	Product Description
109.792.00.1	8cm cistern, installation height 120cm
109.309.00.5	12cm cistern, installation height 108cm




Geberit Duofix toilet frame with Sigma cistern 8cm

Art. no.	Product Description
111.799.00.3	Installation height 114cm



Geberit Duofix toilet frame with Sigma cistern 12cm


Art. no.	Product Description
111.383.00.3	Includes drainage and brackets, 112cm



Geberit Duofix toilet frame with Sigma cistern 12cm

Art. no.	Product Description
111.911.00.3	Installation height 98cm

SPECIAL APPLICATIONS



Geberit Duofix toilet frame with Sigma cistern 12cm

Art. no.	Product Description
111.352.00.5	Less-abled installation, 112cm

GEBERIT SIGMA FLUSH PLATES

RECTANGULAR

Geberit Sigma30
W 24.6 / D 1.2 / H 16.4cm



115.883.KJ.1 White / gloss chrome / white	115.883.KK.1 White / gold-plated / white	115.883.KH.1 Gloss chrome / matt chrome / gloss chrome	115.883.KM.1 Black / gloss chrome / black	115.883.JQ.1 Anti-fingerprint coating: matt chrome / gloss chrome / matt chrome	115.883.JT.1 Anti-fingerprint coating: matt white / gloss chrome / matt white
--	---	---	--	--	--



115.883.14.1 Anti-fingerprint coating: matt black / gloss chrome / matt black	115.883.11.1 White / matt white / white	115.883.01.1 Anti-fingerprint coating: matt white / white / matt white	115.883.16.1 Anti-fingerprint coating: matt black / black / matt black	115.883.DW.1 Black / matt black / black
--	--	---	---	--

Geberit Sigma30
W 24.6 / D 1.2 / H 16.4cm
For stop-and-go flush, screwable



115.893.KJ.1 White / gloss chrome / white	115.893.KX.1 Chrome brushed / gloss chrome / chrome brushed	115.893.KY.1 Gloss chrome / chrome brushed / gloss chrome	115.893.JT.1 Anti-fingerprint coating: matt white / gloss chrome/matt white	115.893.14.1 Anti-fingerprint coating: matt black / gloss chrome / matt black
--	--	--	--	--

ASPIRE RANGE

Geberit Sigma50
W 24.6 / D 1.16 - 1.36 / H 16.4cm



115.671.QD.2 Black Chrome	115.672.QF.2 Brass	115.670.QB.2 Red Gold
------------------------------	-----------------------	--------------------------

GEBERIT SIGMA FLUSH PLATES

Geberit Sigma50

W 24.6 / D 1.16 - 1.36 / H 16.4cm



115.788.11.2
White alpine /
chrome plated



115.788.DW.2
Jet black RAL 9005 /
chrome plated



115.788.21.2
Gloss chrome plated /
chrome plated



115.788.GH.2
Brushed chrome /
chrome plated



115.788.SD.2
Smoked glass
reflective /
chrome plated



115.788.00.2
Customisable /
chrome plated



115.788.JM.2
Slate glass /
chrome plated



115.788.JK.2
Lava glass /
chrome plated



115.788.JL.2
Sand grey glass /
chrome plated



115.788.JV.2
Concrete effect /
chrome plated



115.788.JX.2
Black walnut /
chrome plated



115.788.00.1
Customer specific /
customised

Geberit Sigma50 - Metal finish Red Gold

W 24.6 / D 1.16 - 1.36 / H 16.4cm



115.670.11.2
Red gold / white



115.670.DW.2
Red gold / black



115.670.JM.2
Red gold /
mustang slate



115.670.JV.2
Red gold /
concrete look



115.670.JX.2
Red gold /
black walnut



115.670.00.2
Red gold /
customised

Geberit Sigma50 - Metal finish Black Chrome

W 24.6 / D 1.16 - 1.36 / H 16.4cm



115.671.11.2
Black chrome / white



115.671.DW.2
Black chrome / black



115.671.JM.2
Black chrome /
mustang slate



115.671.JV.2
Black chrome /
concrete look



115.671.JX.2
Black chrome /
black walnut



115.671.00.2
Black chrome /
customised

Geberit Sigma50 - Metal finish Brass

W 24.6 / D 1.16 - 1.36 / H 16.4cm



115.672.11.2
Brass / white



115.672.DW.2
Brass / black



115.672.JM.2
Brass /
mustang slate



115.672.JV.2
Brass /
concrete look



115.672.JX.2
Brass / black walnut



115.672.00.2
Brass / customised

GEBERIT SIGMA FLUSH PLATES

RECTANGULAR

Geberit Sigma60

W 21.4 / D 2.4 - 5 / H 13.2cm



115.640.SI.1
White glass /
gloss chrome plated



115.640.SJ.1
Black glass /
gloss chrome plated



115.640.JK.1
Lava /
gloss chrome plated



115.640.JL.1
Sand grey /
gloss chrome plated



115.640.GH.1
Chrome brushed /
gloss chrome plated

Geberit Sigma70

W 24.6 / D 1.1 / H 16.4cm



115.622.JK.1
Glass lava



115.622.JL.1
Glass sand grey



115.622.SJ.1
Glass black



115.622.FW.1
Stainless steel



115.622.14.1
Stainless steel black
matt painted



115.622.SI.1
Glass white



115.622.JT.1
Stainless steel white
matt painted

ASPIRE RANGE

Geberit Sigma70

W 24.6 / D 1.1 / H 16.4cm



115.622.QD.1
Black Chrome



115.622.QF.1
Brass




115.622.QB.1
Red Gold

GEBERIT SIGMA FLUSH PLATES

ROUND

Geberit Sigma01

W 24.6 / D 1.3 / H 16.4cm



115.770.11.5
White alpine



115.770.DW.5
Jet black RAL 9005




115.770.21.5
Gloss chrome



115.770.KA.5
Gloss chrome /
matt chrome



115.770.DT.5
Fine brass galvanised



115.770.LA.5
White / yellow / green



115.770.LB.5
White / blue / red



115.770.JQ.5
Anti-fingerprint
coating: matt chrome

Geberit Sigma10

W 24.6 / D 1.4 / H 16.4cm



115.758.KJ.5
White / gloss chrome /
white



115.758.KK.5
White / gold-plated /
white



115.758.KH.5
Gloss chrome /
matt chrome /
gloss chrome



115.758.KM.5
Black / gloss chrome /
black




115.758.SN.5
Stainless steel
brushed / polished /
brushed



115.758.JT.5
Anti-fingerprint
coating: matt white /
gloss chrome /
matt white



115.758.14.5
Anti-fingerprint
coating: matt black /
gloss chrome /
matt black



115.787.SN.5
Anti-fingerprint
coating & anti-vandal
stainless steel:
brushed / polished /
brushed



115.758.JQ.5
Anti-fingerprint
coating: matt chrome /
gloss chrome / matt
chrome

GEBERIT SIGMA FLUSH PLATES

ROUND

Geberit Sigma20

W 24.6 / D 1.2 / H 16.4cm



115.882.KJ.1
White / gloss chrome /
white



115.882.KK.1
White / gold-plated /
white



115.882.KH.1
Gloss chrome /
matt chrome /
gloss chrome



115.882.KM.1
Black / gloss chrome /
black



115.882.SN.1
Stainless steel
brushed / polished /
brushed



115.882.11.1
White / matt white /
white



115.882.DW.1
Black / matt black /
black



115.882.JQ.1
Anti-fingerprint
coating: matt chrome /
gloss chrome /
matt chrome



115.882.JT.1
Anti-fingerprint
coating: matt white /
gloss chrome /
matt white



115.882.14.1
Anti-fingerprint
coating: matt black /
gloss chrome /
matt black



115.889.SN.1
Anti-vandal brushed
stainless steel /
brushed polished /
brushed



115.882.01.1
Anti-fingerprint
coating: matt white /
white / matt white



115.882.16.1
Anti-fingerprint
coating: matt black /
black / matt black

Geberit Sigma21

W 24.6 / D 1.4 / H 16.4cm



115.884.SI.1
White glass /
chrome plated /
white glass



115.884.SJ.1
Black glass /
chrome plated /
black glass



115.884.JK.1
Lava glass /
chrome plated /
lava glass



115.884.JL.1
Sand grey glass /
chrome plated /
sand grey glass



115.884.JV.1
Concrete effect /
chrome plated /
concrete effect



115.884.JX.1
Black walnut /
chrome plated /
black walnut



115.884.JM.1
Slate / chrome plated /
slate



115.884.00.1
Customisable

GEBERIT SIGMA FLUSH PLATES

Geberit Sigma21 - Metal finish Red Gold

W 24.6 / D 1.4 / H 16.4cm



115.650.SI.1
Red gold / white



115.650.SJ.1
Red gold / black



115.650.JM.1
Red gold /
mustang slate



115.650.JV.1
Red gold /
concrete look



115.650.JX.1
Red gold /
black walnut



115.650.00.1
Red gold / customised

Geberit Sigma21 - Metal finish Black Chrome

W 24.6 / D 1.4 / H 16.4cm



115.651.SI.1
Black chrome / white



115.651.SJ.1
Black chrome / black



115.651.JM.1
Black chrome /
mustang slate



115.651.JV.1
Black chrome /
concrete look



115.651.JX.1
Black chrome /
black walnut



115.651.00.1
Black chrome /
customised

Geberit Sigma21 - Metal finish Brass

W 24.6 / D 1.4 / H 16.4cm



115.652.SI.1
Brass / white



115.652.SJ.1
Brass / black



115.652.JM.1
Brass / mustang slate



115.652.JV.1
Brass / concrete look



115.652.JX.1
Brass / black walnut



115.652.00.1
Brass / customised

GEBERIT SIGMA FLUSH BUTTONS

SQUARE

Geberit Remote square flush controls

W 12.9 / D 8 / H 7.4cm
For Sigma 8cm cistern.



116.053.GH.1
Brushed chrome



116.053.KA.1
Bright chrome plated



116.053.KT.1
White high gloss /
brushed chrome
plated



116.053.KV.1
Black high gloss /
chrome plated



116.054.21.1
Protruding design,
gloss chrome plated

FLUSH BUTTONS

Geberit remote flush button Type01 Single flush

W 9.4 / D 7.3 / H 9.4cm
For Sigma 8cm single flush.



116.041.11.1
White alpine



116.041.21.1
Gloss chrome plated



116.041.46.1
Matt chrome plated

Geberit Sigma 8cm dual flush

W 9.4 / D 7.3 / H 9.4cm



116.043.11.1
White alpine



116.043.21.1
Gloss chrome plated



116.043.46.1
Matt chrome plated

TOUCHLESS CONTROLS

Geberit toilet flush controls Type10

W 9.4 / D 7.3 / H 9.4cm
Electronic flush actuation, dual flush, IR button.



115.936.14.6
Black matt, Sigma,
mains operation



115.937.14.6
Black matt, Sigma,
battery operation



115.936.SN.6
Brushed stainless,
Sigma, mains
operation

GEBERIT SIGMA FLUSH PLATES

TOUCHLESS

Geberit Sigma10 touchless
W 24.6 / D 1.4 / H 16.4cm
Battery powered version also available.



115.907.KJ.1 White / gloss chrome 115.907.KK.1 White / gold-plated 115.907.KL.1 White / matt chrome
115.907.KN.1 Matt chrome / gloss chrome 115.907.KH.1 Gloss chrome / matt chrome 115.907.KM.1 Black / gloss chrome



115.907.SN.1
Stainless steel
brushed / polished

Geberit IR sensor for Sigma
W 24.6 / D 1.5 / H 16.4cm




115.890.SN.6
Battery also available

Geberit IR sensor for Omega
W 0.6 / D 0.5 / H 0.6cm




115.956.14.6
Battery also available

Geberit Sigma80
W 24.7 / D 1 / H 16.4cm
For Sigma 12cm cistern.



116.090.SM.1 Glass reflective 116.090.SG.1 Black glass

Geberit Sigma80
W 24.7 / D 1 / H 16.4cm
For Sigma 8cm cistern.




116.092.SM.1 Glass reflective 116.092.SG.1 Black glass

Geberit installation set with power supply unit




115.861.00.6
For toilet flush controls with electronic flush actuation, 12 V.
For use with Sigma and Omega touchless controls.

GEBERIT OMEGA CISTERNS, FRAMES & FLUSH PLATES



Geberit Omega concealed cistern 12cm, 6/3 litres

Art. no. 109.041.00.1 **Product Description** Installation height 82cm



Geberit Duofix toilet frame with Omega cistern 12cm

Art. no. 111.004.00.3 **Product Description** Installation height 82cm

RECTANGULAR

Geberit Omega30
W 21.2 / D 1 / H 14.2cm



115.080.KJ.1 White / gloss chrome / white 115.080.KK.1 White / gold-plated / white 115.080.KH.1 Gloss chrome / matt chrome / gloss chrome 115.080.KM.1 Black / gloss chrome / black 115.080.JQ.1 Anti-fingerprint coating: matt chrome / gloss chrome / matt chrome 115.080.01.1 Plate and buttons: white matt coated, easy-to-clean coated Design stripes: white



115.080.16.1
Plate and button:
black matt coated,
easy-to-clean coated
Design stripes: black

GEBERIT OMEGA FLUSH PLATES & FLUSH BUTTONS

Geberit Omega60
W 18.4 / D 2.4 - 9 / H 11.4cm



- 115.081.SI.1 White glass / gloss chrome plated
- 115.081.SJ.1 Black glass / gloss chrome plated
- 115.081.GH.1 Chrome brushed / brushed chrome plated
- 115.081.JK.1 Lava / gloss chrome plated
- 115.081.JL.1 Sand grey / gloss chrome plated

ROUND

Geberit Omega20
W 21.2 / D 1 / H 14.2cm



- 115.085.KJ.1 White / gloss chrome / white
- 115.085.KK.1 White / gold-plated / white
- 115.085.KH.1 Gloss chrome / matt chrome / gloss chrome
- 115.085.KM.1 Black / gloss chrome / black
- 115.085.JQ.1 Anti fingerprint coating: matt chrome / gloss chrome / matt chrome
- 115.085.O1.1 Plate and buttons: white matt coated, easy-to-clean coated Design rings: white



- 115.085.16.1 Plate and button: black matt coated, easy-to-clean coated Design rings: black


TOUCHLESS CONTROLS

Geberit toilet flush controls Type10
W 9.4 / D 7.3 / H 9.4cm
Electronic flush actuation, dual flush, IR button.




- 115.956.14.6 Black matt, Omega, mains operation
- 115.956.NS.6 Brushed stainless, Omega, mains operation

GEBERIT KAPPA CISTERNS, FRAMES & FLUSH PLATES



Geberit Kappa concealed cistern 15cm, 6/3 litres

- | Art. no. | Product Description |
|--------------|--------------------------|
| 109.205.00.1 | Installation height 82cm |



Geberit Duofix toilet frame with Kappa cistern 15cm, 6/3 litres

- | Art. no. | Product Description |
|--------------|--------------------------|
| 111.260.00.3 | Installation height 82cm |

RECTANGULAR

Geberit Kappa50
W 21.1 / D 1.5 / H 14.2cm



- 115.260.11.1 White alpine
- 115.260.21.1 Gloss chrome
- 115.260.46.1 Matt chrome
- 115.258.00.1 Brushed stainless steel

ROUND

Geberit Kappa20
W 21.3 / D 1.6 / H 14.2cm




- 115.228.11.1 White alpine
- 115.228.21.1 Gloss chrome
- 115.228.46.1 Matt chrome

Geberit Kappa21
W 21.2 / D 1 / H 14.2cm




- 115.240.KH.1 Gloss chrome / matt chrome / gloss chrome
- 115.240.KJ.1 White / gloss chrome / white
- 115.240.KK.1 White / gold-plated / white
- 115.240.KM.1 Black / gloss chrome / black
- 115.240.KN.1 Matt chrome / gloss chrome / matt chrome


GEBERIT DELTA CISTERNS



Geberit Delta concealed cistern 12cm, 6/3 litres
Art. no. 109.103.21.2 **Product Description** With Delta20 flush plate gloss chrome plated




Geberit Delta concealed cistern 12cm, 6/3 litres
Art. no. 109.104.21.2 **Product Description** With Delta30 flush plate gloss chrome plated




Geberit Delta concealed cistern 12cm, 6/3 litres
Art. no. 109.105.00.1 **Product Description** Installation height 112cm


GEBERIT DELTA CISTERNS & FRAMES




Geberit Duofix frame for wall-hung toilet with Delta cistern 12cm
Art. no. 458.118.21.2 **Product Description** Installation height 112cm, with Delta20 Flush plate gloss chrome plated
 458.151.21.1 Installation height 98cm, with Delta20 Flush plate gloss chrome plated



Geberit Duofix frame for wall-hung toilet with Delta cistern 12cm
Art. no. 458.119.21.2 **Product Description** Installation height 112cm, with Delta30 Flush plate gloss chrome plated
 458.152.21.1 Installation height 98cm, with Delta30 Flush plate gloss chrome plated



Geberit Duofix element for wall-hung toilet, 98cm, with Delta concealed cistern 12cm
Art. no. 458.145.00.1 **Product Description** Installation height 98cm



Geberit Duofix frame for wall-hung toilet, with Delta concealed cistern 12cm
Art. no. 458.132.00.1 **Product Description** Installation height 112cm

GEBERIT DELTA FLUSH PLATES

RECTANGULAR

Geberit Delta35

W 24.6 / H 16.4 / D 2.5cm



115.135.11.5
White alpine




115.135.21.5
Gloss chrome plated



115.135.46.5
Matt chrome plated

Geberit Delta50


W 24.6 / H 16.4 / D 2.6cm



115.105.11.5
White alpine



115.105.21.5
Gloss chrome plated



115.105.46.5
Matt chrome plated



115.119.DW.5
Black



115.119.14.1
Matt black

ROUND

Geberit Delta 15

W 24.6 / H 16.4 / D 2.5cm

Stop and go flush, gloss chrome plated.



115.120.21.5
Gloss chrome plated

Geberit Delta10

W 24.6 / H 16.4 / D 3cm

Stop and go flush, screwable.



115.101.00.5
Stainless steel

Geberit Delta25

W 24.6 / H 16.4 / D 3.1cm



115.125.11.5
White alpine




115.125.21.5
Gloss chrome plated



115.125.46.5
Matt chrome plated

GEBERIT CISTERNS, FRAMES & FLUSH BUTTONS FOR LOW-HEIGHT



Geberit low-height cistern, 6/3 litres, pneumatic flush actuation for single or dual flush buttons

Art. no. 109.721.00.2

Product Description Installation height 79cm

To order additionally - Type 01 or Type 10 pneumatic button" (or similar)



Geberit Duofix frame for wall-hung toilet, 79cm, with low-height cistern

Art. no. 111.207.00.2

Product Description Duofix element for wall-hung toilet, 79 cm, with low-height cistern

To order additionally - Type 01 or Type 10 pneumatic button" (or similar)

FLUSH BUTTONS

Geberit remote flush button Type01 Single flush

W 9.4 / D 7.3 / H 9.4cm

For furniture.



116.040.11.1
White alpine



116.040.21.1
Gloss chrome plated



116.040.46.1
Matt chrome plated



116.040.JQ.1
Matt chrome-coated,
easy-to-clean coated

GEBERIT FLUSH BUTTONS

Geberit remote flush button Type10 Dual flush

W 10 / D 0.6 / H 10cm

For Sigma concealed cistern 8 cm, concealed actuator.



116.056.KH.1
Gloss chrome /
matt chrome



116.056.KJ.1
White / gloss chrome



116.056.KK.1
White / gold



116.056.KM.1
Black / gloss chrome



116.056.16.1
Black matt-coated,
easy-to-clean coated,
black



116.056.DW.1
Black, matt black



116.056.JQ.1
Matt chrome-coated,
easy-to-clean coated,
polished

Geberit remote flush button Type10

W 10 / D 0.6 / H 10cm

For furniture



116.057.KJ.1
White / gloss chrome



116.057.KK.1
White / gold



116.057.KH.1
Gloss chrome /
matt chrome



116.057.KM.1
Black / gloss chrome



116.057.SN.1
Brushed stainless
steel / polished



116.057.16.1
Black matt-coated,
easy-to-clean coated,
black



116.057.DW.1
Black, matt black



116.057.JQ.1
Matt chrome-coated,
easy-to-clean coated,
polished

For solid wall



116.055.KH.1
Gloss chrome /
matt chrome



116.055.KJ.1
White



116.055.KK.1
White / gold



116.055.KM.1
Matt black /
chrome plated



116.055.16.1
Black matt-coated,
easy-to-clean coated,
black



116.055.DW.1
Black, matt black



116.055.JQ.1
Matt chrome-coated,
easy-to-clean coated,
polished

GEBERIT FLUSH BUTTONS

TYPE01 BUTTONS

Geberit remote flush actuation, pneumatic Type01 single flush

W 9.4 / D 7.3 / H 9.4cm

For Sigma concealed cistern 8 cm, concealed actuator.



116.041.JQ.1
Matt chrome-coated,
easy-to-clean coated

Geberit remote flush actuation, pneumatic Type01 dual flush

W 9.4 / D 7.3 / H 9.4cm

For Sigma concealed cistern 8 cm, concealed actuator.



116.043.JQ.1
Matt chrome-coated,
easy-to-clean coated

Geberit remote flush button Type01

W 10 / D 0.6 / H 10cm

For furniture



116.050.11.1
White



116.050.21.1
Gloss chrome
plated



116.050.46.1
Matt chrome plated



116.050.JQ.1
Matt chrome-coated,
easy-to-clean coated

For solid wall



116.042.11.1
White alpine



116.042.21.1
Gloss chrome
plated




116.042.JQ.1
Matt chrome-coated,
easy-to-clean coated



116.044.11.1
Protruding design,
white alpine


GEBERIT WASHBASIN FRAMES



Geberit Duofix frame for washbasin, 112 - 130cm, wall-mounted tap, concealed


Art. no.	Product Description
111.493.00.1	With PreWall brackets, backplate elbows and chrome isolating valves
111.567.00.1	130cm washbasin, wall mounted tap with concealed function box
111.568.00.1	130cm washbasin, wall mounted tap with concealed function box and concealed trap

GEBERIT BIDET FRAMES




Geberit Duofix frame for bidet, 82cm, Universal

Art. no.	Product Description
111.543.00.1	With wall brackets, backplate elbows and chrome isolating valves




Geberit Duofix frame for washbasin, 82 - 98cm, deck-mounted tap

Art. no.	Product Description
111.494.00.1	With PreWall brackets, backplate elbows and chrome isolating valves




Geberit Duofix frame for bidet, 98cm, Universal

Art. no.	Product Description
111.544.00.1	With wall brackets, backplate elbows and chrome isolating valves



Geberit Duofix frame for washbasin, 112cm deck-mounted tap

Art. no.	Product Description
111.495.00.1	With wall brackets, backplate elbows and chrome isolating valves
111.554.00.1	Concealed trap
111.566.00.1	Concealed function box and concealed trap



Geberit Duofix frame for bidet, 112cm, Universal

Art. no.	Product Description
111.545.00.1	With wall brackets, backplate elbows and chrome isolating valves

ACCESSORIES AND ENHANCEMENTS



GEBERIT FRAME ACCESSORIES



Geberit Duofix system rail set

Art. no.	Product Description
111.878.00.1	2 x 3m rails. For construction of a part or full height Geberit Duofix system wall in front of a solid wall or drywall, Duofix frames fix into the rail tool free



Geberit Duofix stud, room-height


Art. no.	Product Description
111.871.00.1	220-280cm
111.872.00.1	260-320cm
111.873.00.1	300-360cm
111.874.00.1	340-400cm

For use with system rail to construct a part or full height stud wall



Geberit Duofix stud brackets

Art. no.	Product Description
111.869.00.1	For fastening Duofix frames between two studs at an interval of 50-57.5cm



Reinforcing sheet for drywall construction, for Geberit Duofix frame for wall-hung toilet, width 50cm

Art. no.	Product Description
111.745.00.1	For Geberit Duofix installation frames with a width of 50 cm. For transmitting load forces to the toilet ceramic appliance through the drywall to the frame. For installation of Geberit Duofix frames for wall-hung toilet behind the wall in the installation space. For single-panelled or double-panelled drywalls made of plasterboard with or without core. For drywalls with fire protection requirements. For wall thicknesses of 3.6-10 cm.



Geberit drilling template for wall-hung toilet and Geberit AquaClean

Art. no.	Product Description
111.747.00.1	For marking the panelling cutouts for Geberit elements for wall-hung toilet. For marking the connection positions of Geberit AquaClean shower toilets



Geberit set of wall anchor extension rods

Art. no.	Product Description
111.887.00.1	For extending the Geberit Duofix wall anchors by 200-400mm



Geberit rear wall foot brackets

Art. no.	Product Description
111.867.00.1	For alternative foot fastening of the Geberit Duofix frames to the rear wall when using under floor heating or water proofing meaning you cannot drill down into the floor



Geberit Duofix set of wall anchors for single and system installation

Art. no.	Product Description
111.844.00.1	For fastening Geberit Duofix frames in front of drywalls and solid walls. For tool-free fastening of Geberit Duofix frames to Duofix system rails. For fastening panelling in part-height prewall installations. Wall inlet rotatable by 360°. Threaded rod M10, zinc-plated.



Geberit Duofix system fastening bracket

Art. no.	Product Description
111.846.00.1	For horizontal installation of Geberit Duofix system rails between Duofix studs, room-height. For creating openings in Geberit Duofix system walls for doors and mirrored cabinets.



Geberit s-bend

Art. no.	Product Description
388.350.29.1	For floor drainage where a close-coupled pan has been removed



Geberit connection set, eccentric

Art. no.	Product Description
405.116.00.1	For a raised height toilet pan. For compensating measuring discrepancies of up to 25mm.



Geberit HDPE straight connector with ring seal socket for wall-hung toilet

Art. no.	Product Description
366.887.16.1	For site drainage. For connecting sanitary appliances with horizontal outlet. For Geberit Duofix frames for wall-hung toilet.



Geberit Duofix set of leg supports with big foot plate, for floor construction 0-20cm

Art. no.	Product Description
111.849.00.2	For floor constructions 0-20cm. For use with Geberit Duofix frames for increased application of force in floors. Not suitable for Geberit Duofix frames for wall-hung toilet, 82cm, with Omega concealed cistern 12cm. Not suitable for Geberit Duofix frames for cleaner sink, 175cm. Not suitable for Geberit Duofix elements for wall-hung toilet, corner construction.



Geberit sound insulation set for wall-hung toilet

Art. no.	Product Description
156.050.00.1	For structure-borne sound insulation of toilets and bidets. For WCs and bidets with fastening distance 18 or 23cm.

ONE TOILET CONNECTION MANY OPTIONS

A mains connection for the toilet provides various options for more convenience in the bathroom. If it is already included during the construction phase, electrically operated functions can be installed without problems at a later stage. The Power & Connect Box from Geberit makes life significantly easier for sanitary specialists.

A PREREQUISITE FOR ULTIMATE TOILET CONVENIENCE

An electrical connection for the toilet is a prerequisite for a variety of functions that make for a very convenient bathroom experience. A power supply is needed for odour extraction, orientation light in the night, touchless flush actuation or Geberit AquaClean shower toilets for hygienic cleaning with fresh water. Future developments could also integrate the toilet into smart home systems, so preparing power and communication connections for every toilet when fitting or renovating the bathroom is a must. Doing so ensures that it is possible to add electrical functions to the toilet area at any time.

THE POWER & CONNECT BOX IN THE CONCEALED CISTERN


Geberit has developed the Power & Connect Box for the toilet to make it easy to install electrically operated function elements. It can be integrated into the Geberit Duofix and GIS installation elements for Sigma and Omega concealed cisterns with 12 cm installation depth and is included at the factory in some versions. The box is installed behind the ceramic appliance, invisible from the outside, and can be combined with all toilets.



- 1 Actuator plate with invisible integrated odour extraction and orientation light.
- 2 Geberit AquaClean shower toilet for gentle cleaning with water.
- 3 Touchless flush actuation with orientation light.



Modern comfort functions improve both the bathroom and quality of life. A mains connection for the toilet enables installation or retrofitting.



A MAINS CONNECTION TO EVERY TOILET IT'S THAT SIMPLE



- Installation set: Easy prefitting for retrofitting mains connections
- Ready-to-fit set: Connection plate with power supply unit
- Clean separation of trades between sanitary specialists and electrically skilled persons

CLEAN INTEGRATION INTO THE ELEMENT FOR WALL-HUNG TOILET



↑
The installation set and ready-to-fit set are concealed behind the ceramic appliance.



↑
A protection box ensures that the box remains clean during construction work.

The Power & Connect Box is available as an installation set and a ready-to-fit set. In all cases, the installation set should be mounted together with the installation element and fitted with the conduit pipe by an electrically qualified person. This ensures that the mains connection can be retrofitted with minimum effort.

INSTALL THE READY-TO-FIT SET, MAKE THE CONNECTIONS

The ready-to-fit set is used when electricity is actually needed at the toilet. It consists of a connection plate, 12 volt power supply unit and a special cable. The connection plate is connected to the power supply by an electrically qualified person. All other connections are made by sanitary specialists. In this way, the Power & Connect Box creates a clean interface between trades for electrically qualified persons and sanitary specialists.



1



2

1 Insert the connection plate into the installation set.

2 Plug in the power supply unit.

3 Easy connection: The plug for connecting a Geberit AquaClean shower toilet.

4 The LED light indicates whether the power supply is working properly.



3



4

GEBERIT DUOFRESH MODULE FRESH AIR FOR EVERYONE




The Geberit DuoFresh module extracts unpleasant odours directly from the toilet ceramic appliance. The extraction unit that accompanies it, the ceramic honeycomb filter and an orientation light can be found in an easily accessible location behind the actuator plate.

HYGIENE OPTIONS THAT CAN ALSO BE RETROFITTED

The Geberit DuoFresh module can be integrated or retrofitted behind almost every Geberit actuator plate from the Sigma range. A sophisticated swivelling mechanism enables the plate to be moved conveniently to one side, allowing the plumber and the end user to access the honeycomb filter with ease. The installation kit includes the swivelling mechanism needed to move the actuator plate.

ODOUR EXTRACTION UNIT WITH ORIENTATION LIGHT

The Geberit DuoFresh module removes unpleasant odours directly from the toilet ceramic appliance – extracting the air through the flush pipe and flush valve, purifying it using a ceramic honeycomb filter and then introducing the cleaned air back into the room. The module also features an LED orientation light which produces a soft glow during night-time visits to the toilet. The air extraction and light are controlled by a proximity sensor system. The installation kit for the odour extraction unit includes a swivelling mechanism for moving the actuator plate. The transformer for the power supply must be ordered separately.



INSERT FOR GEBERIT DUOFRESH FILTER

HYGIENIC FRESHNESS FOR WEEKS

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



↑
It doesn't get any simpler than this: Move the actuator plate to one side.



↑
Insert the filter in the slot.



↑
Close the plate and enjoy the fresh air in your bathroom.

GEBERIT MONOLITH

MORE FLEXIBILITY IN THE BATHROOM

The Geberit Monolith sanitary module for toilet is compatible with most standard toilet ceramic appliances as well as with the Geberit AquaClean shower toilets. It is equally suitable for new building projects and renovations.
→



Thanks to its timeless design and versatile positioning options, the Geberit Monolith sanitary module for toilet is a first-rate alternative to an exposed cistern. With its water-saving dual flush and first-class materials, even the basic model meets high demands. A new lighting concept with four dimmable lighting moods and the proven odour extraction system are integrated into the updated Geberit Monolith Plus sanitary module. All electronic functionalities can be controlled via the Geberit Home app. This also includes an interval flush, which ensures that the water pipes and the cistern are flushed regularly during longer absences. The fact that the supporting frame design is similar to the tested Geberit Duofix installation element is particularly useful for the plumber – the Geberit Monolith can therefore be anchored to the building by following a familiar procedure.



- Front cladding made of heavy-duty toughened safety glass.
- Brushed aluminium side cladding in natural or black chrome.
- Very slim with a depth of only 10 cm.
- Suitable for new construction and renovation.
- The installation is carried out according to the Geberit Duofix installation system mounting model.
- The new soft-touch buttons, integrated into the top cover for two flush quantities (Monolith Plus only), trigger the flush electronically.

MONOLITH PLUS



BEAUTIFUL ON THE OUTSIDE CLEVER ON THE INSIDE


The support frame design of the Geberit Monolith sanitary module for toilet is similar to the tried-and-tested Geberit Duofix installation element, which is well-known to almost all sanitary professionals. The sanitary module offers almost unlimited installation options, which is a great advantage for renovations in particular. Surrounding conditions such as skirting boards or an awkwardly positioned water supply connection no longer lead to costly adjustments, meaning there is no need to fear.



SIDE CLADDING



Aluminium brushed




Black chrome Aluminium brushed

FRONT CLADDING



White (SI)



Sand grey (JL)



Black (SJ)



Lava (JK)



The front cladding made of safety glass is available in the colours white, sand grey, black and lava. The aluminium brushed side cladding can be combined with white, and sand grey surfaces, while the black chrome side cladding works well with the lava and black look.

The Geberit Monolith sanitary modules offer almost unlimited installation options, which is a great advantage for renovations in particular. Thanks to the new frames and optional mounting aids, almost anything is possible.

REMARKABLY EASY

The frame of the Geberit Monolith sanitary module for toilet can therefore be anchored to the building by following a familiar procedure.



↑ The height setting can be adjusted to the surroundings within a range of 7 cm. This does not require any special tools.




↑ The frame has two adjusting screws to compensate for any wall slants.



↑ Tried-and-tested mounting brackets are used to fasten the frame to the building structure.



↑ The reinforced braided hose for the water supply connection can be built in without having to remove the flush water tank – that's one less step.



← Geberit Monolith and Geberit Monolith Plus are available in heights of 101 cm and 114 cm.

GEBERIT AQUACLEAN SHOWER TOILETS



WHIRLSPRAY SHOWER TECHNOLOGY
With an additional shower spray, the gentle lady shower ensures personal hygiene using pure water.



TURBOFLUSH
Optimised with Turbo Flush for a perfect wash-out of Geberit toilet ceramics, with water-saving flushing.



REMOTE CONTROL
The intuitive remote provides hand-held control and the touch of a button is all it takes to call up personal settings.



www.geberit-aquaclean.com/comfort

DOWNLOAD THE GEBERIT HOME APP TODAY

Introducing the Geberit Home App, the convenient all-in-one system to access all your AquaClean needs.

FEATURES INCLUDE:

- Operate your AquaClean with your smartphone
- Configure personal settings on your AquaClean
- Use your personal settings on any AquaClean around the world
- Access helpful videos and information for care and maintenance
- Access the user manual at the touch of a button
- Troubleshoot your AquaClean remotely
- Contact the AquaClean Chatbot any time if you have a question
- Order consumables for your AquaClean
- Contact our Technical Support team for personalised assistance
- Register your AquaClean for its extended warranty
- Receive notifications to your phone when your AquaClean needs attention



DOWNLOAD FROM THE APP STORE OR GOOGLE PLAY


Scan the QR code



App Store




Play Store



← All the latest features and benefits at your fingertips.

EVERYTHING AT YOUR FINGERTIPS WITH THE CONTROL APP

The Geberit Control App makes life so much easier for service technicians, facility managers and plumbers alike. Geberit toilet and urinal flush controls, washbasin taps and other products for semi-public and public facilities can be connected to a smartphone via Bluetooth®.



Geberit Control App

SIMPLE DOWNLOAD FOR IOS AND ANDROID

The free Geberit Control App is available to download from the App Store for iOS or from the Play Store for Android.



App Store



Play Store

SMART CONTROLS

The Geberit Control App is compatible with a wide range of Geberit products. This intuitive app makes it possible to change device settings, read device information and carry out maintenance work via Bluetooth®.

SIMPLE REPLICATION OF SETTINGS


The clear user interface is designed to facilitate operation. With the Geberit Control App, all Geberit products installed in a sanitary room can be grouped and controlled efficiently. All configurations, such as the flush volume or interval settings can be saved and transferred to other devices of the same type. If, for example, a sanitary room is due to be cleaned, the cleaning mode can be applied to the entire group, which deactivates the flush actuation of all urinals in an in-row installation for a defined period of time. This makes for an efficient approach to cleaning a sanitary room. Product-specific settings can be transferred conveniently and intuitively to other sanitary products via the app.

UP-TO-DATE ANALYSES

The app makes it possible to carry out up-to-date operational analyses and document the results. It is also possible to save and export statistical data, including the number of uses and the flush volume. This data forms a sound basis for optimising workflows and increasing cost efficiency.

SAFETY FIRST: PASSWORD PROTECTION

All Geberit controls can be password-protected against unauthorised access in the Geberit Control App. User authorisations can be transferred to third parties with full or partial access.



GEBERIT PROAPP KNOW HOW AT YOUR FINGERTIPS

GEBERIT PROAPP: THE APP FOR SANITARY PROS

- Identify all Geberit products by simply scanning its barcode
- Enjoy immediate access to the Geberit product range, technical drawings and easy to follow installation videos
- The Geberit ProApp also enables you to identify the flush plate installed and then lists all relevant spare parts

DOWNLOAD FROM
THE APP STORE OR
GOOGLE PLAY

SCAN THE QR CODE



App Store



Play Store

GEBERIT KNOW-HOW
DIRECTLY AT YOUR FINGERTIPS

**KNOW
HOW
INSTALLED**



OUR APPROACH


Sustainability has been an integral part of Geberit's corporate strategy since 1990, with the goal of using innovative sanitary products to continuously improve people's quality of life. To achieve this, we develop sanitary products and services while taking economical, ecological and social aspects into account. As the European market leader, we want to contribute to a more sustainable sanitary industry.

OUR KEY FOCUS

Environmentally friendly, resource-saving, durable products are extremely important at Geberit. The key here is eco-design, with all products developed consistently in line with the eco-design principle since 2007: Seen across the entire product life cycle – from the provision of raw materials to disposal – each product must be better than its predecessor from an ecological perspective, without sacrificing on quality, functionality or durability. Eco-design covers all stages of this life cycle, thus contributing to the circular economy.



Geberit, has received a Platinum seal from EcoVadis in recognition of its best-in-class sustainability management. This is the second consecutive year that we have attained the Platinum rating and cements the company's position as a sustainability leader within the sanitary industry.



UP TO 50 YEARS SPARE PARTS AVAILABILITY*

QUALITY GUARANTEED

Geberit concealed cisterns are now classics in modern bathroom installation. The proverbial Geberit quality ensures that you can always count on clean and thorough flushing of your toilets. Our one-piece, blow-moulded cistern can be easily accessed at any time, simply remove the flush plate for quick and easy maintenance.

PRODUCT CONFIDENCE

Due to extensive product testing Geberit offers up to 50 years spare part availability* for all working parts within Geberit concealed cisterns and flush plates.

This gives new construction or renovation the safety and security of parts availability for years to come.

THOROUGHLY TESTED

In the endurance testing labs, cisterns, filling valves, shower toilets, flush plates and taps are subjected to computer-controlled lifecycle testing.

150 cisterns are simultaneously evaluated at a rate of at least 200,000 flushes per cistern.

The results of short and long-term testing serve as a guideline for production release and country-specific approvals.

*From January 2023, 25 years for Delta & Kappa, 50 years for Omega & Sigma.

Geberit Sales Ltd
Geberit House
Edgehill Drive
Warwick
CV34 6NH

T 01926 516800
F 01926 400101
E enquiries@geberit.co.uk

Literature 0800 007 5133

www.geberit.co.uk