


KALDEWEI

**EASY
FLAT
FLEXIBLE**


FLOOR-LEVEL SHOWERS BY KALDEWEI.





EASY

Floor-level showers are easier to install than you think. We offer the right installation solution for almost any situation: quick to install and optimally matched to the KALDEWEI shower surfaces.



FLAT

High in standards but flat in height – that's what the combination of floor-level shower surfaces and innovative waste fittings stands for.




FLEXIBLE

A large selection of colours, surfaces, sizes and installation products ensures that KALDEWEI always has the right solution for any customer – and for the relevant installation situation.

THE ULTIMATE IN SHOWERING: WALK-IN.

The standards of modern bathroom design are high: Shower solutions today should preferably be floor-level, easily to install, and integrate flexibly in different room situations. This is a trend which KALDEWEI has helped to shape and continues to advance. It is for this purpose

that we have developed completely integrated systems. These innovative combinations of shower surfaces, waste fittings and installation systems do not just meet standards – they set them: with excellent design, durability and straightforward installation.



EASY INSTALLATION

FASTER THAN YOU THINK, EASIER THAN YOU EXPECT.

Strong product solutions effectively make the decision quick and easy for the customer and installer. KALDEWEI installation solutions offer sophistication in every detail,

with intuitive installation steps and clear instructions that guarantee easy and secure installation. Developed by KALDEWEI with installers for installers.

SERIOUSLY IMPRESSIVE – THE EASY INSTALLATION.

How to get a floor-level shower in quick and straightforward steps: The KALDEWEI installation systems make light work of most installation situations. Be it under-structure, shower surface or sealing: all components

are perfectly matched – making the installation clear and straightforward. Fitting a shower is convenient and effortless.



INSTALLATION SYSTEM

We offer you the right system for almost any installation situation. Everything from one source – everything perfectly matched.



SHOWER SURFACE

The shower surface in the required size is placed onto the assembled installation system. Its integrated slope ensures perfect drainage – reducing complex screed work and tiling.



SEALING, SOUND INSULATION & MORE

The KALDEWEI PROFESSIONAL range lets you customise the installation of the shower surface to suit the client's requirements. The special waste fittings, SILENCE PLUS sound insulation solutions, sealing systems and more offer complete peace of mind.

FOR ALMOST EVERY INSTALLATION SITUATION, THERE'S A SOLUTION: OURS.

INSTALLATION SYSTEMS FOR SHOWER TRAYS AND ENAMELLED SHOWER SURFACES.

	ESR II INSTALLATION SYSTEM	SHOWER TRAY FOOT FRAME		POLYSTYRENE SUPPORT	
		FR 5300 / FR 5300PLUS	FR 5350 XETIS	LOW PROFILE SUPPORT (-5 Version)	POLYSTYRENE SUPPORT (-2 Version)
INSTALLATION AT FLOOR-LEVEL 	✓	✓	✓		
INSTALLATION CLOSE TO FLOOR-LEVEL 		✓		✓	✓
RAISED INSTALLATION 		✓			✓


GET THE BEST IDEAS UNDER THE SHOWER.

ESR II INSTALLATION SYSTEM – THE RELIABLE SYSTEM.




The installation system frame is an all-in-one solution for floor-level installation. Each full pack contains all relevant components and installation aids. Select the right waste fitting to suit your installation situation.

- Maximum protection against moisture penetration through integrated sealing system incl. leakproof connection
- The KALDEWEI 3D flex foot system adapts to any floor situation
- Shower can be adjusted



Installation system frame ESR II 100 x 100cm

THREE STEPS AND DONE.




- Define the position of the waste siphon
- Adjust the feet of the ESR II both horizontally and vertically
- Use spirit level and fitting aids to precisely align the ESR II with the meter line
- Put the recess aids in place



- Lay screed
- Shorten the formwork panels and remove the recess aids



- Connect the waste siphon
- Attach the fleece butyl sealing tape
- Stick to the walls and the screed floor
- Use fitting aids before tilling the wall and the floor
- Connect the waste siphon
- Insert shower tray
- Seal joint edges with silicone



DONE




Go to film: Installation of ESR II

You can find the relevant installation and mounting instructions on the Internet at www.kaldewei.com

PERFECTLY FLEXIBLE. PERFECTLY EASY.

FOOT FRAME FR 5300 –
THE FLEXIBLE SYSTEM.




Only three sizes for the diversity of dimensions of enamelled shower surfaces from KALDEWEI. How is this possible? The frames are simply cut to the required size.

- Suitable for different types of installation
- Available in sizes 90 x 90cm, 120 x 120cm, and 150 x 180cm
- Adjustable to any size of shower surface
- The KALDEWEI 3D flex foot system adapts to any floor situation



Shower tray foot frame FR 5300

THREE STEPS AND DONE.



- If necessary, cut the connecting rods to the right size
- Debur the cut edges
- Slip the preassembled slot nuts of the corner joints into the profile and screw in tight

- Assemble the foot units to the required installation height and screw into the slot nuts and corner joints
- Attach rubber supporting pads and the rubber holding profiles

- Position and align the shower tray foot frame
- Adjust to the required height
- Place the shower tray in position and align it parallel to the tiles with a gap of approx. 2mm
- Seal the joint edges (maintenance joint) using suitable flexible sealant

DONE


MAKES FITTING LESS OF AN EFFORT.

LOW PROFILE SUPPORT – THE FAST SYSTEM.



The low profile support lets you install a KALDEWEI shower on the floor quickly and without fuss. The support stabilises the whole shower surface. Shower and low profile support are supplied as a unit. Perfectly matched and easy to handle on site.

- Complete system for flat installation
- Easy and fast to install on the floor
- Especially suitable for renovations



Cross section of SUPERPLAN with low profile support

THREE STEPS AND DONE.



- Position shower surface and support
- Mark the siphon position
- Prepare cut-out and allow access to the drainage system



- Secure the support to the floor using a “solvent free” contact/grab adhesive, applied to the underside of the support



- Turn the polystyrene support right side up and fit into the required installation position
- Adjust the support and apply silicone to the supporting surfaces
- Place the shower surface onto the support
- Tile the wall and floor
- Weigh down the shower tray and seal the joints connecting the tray to the wall and floor with silicone



DONE



Go to film: Installation of polystyrene support

You can find the relevant installation and mounting instructions on the Internet at www.kaldewei.com

WE HAVE THOUGHT OF EVERYTHING.

SPECIAL SOLUTIONS FOR SPECIAL INSTALLATION SITUATIONS.

The KALDEWEI PROFESSIONAL range offers you additional products for sound insulation, sealing and installation. You will find these products to be of our

customary high quality standards and they are specifically made for use with KALDEWEI shower surfaces.



WATERPROOF

Both types of KALDEWEI sealing solution effectively seal silicone joints to prevent moisture migration. The tapes are applied between the shower rim and the wall, and then integrated with the bathroom sealing.

SHOWER TRAY SEALING SYSTEM WDS

- Circumferential sealing system for floor-level installation
- Available in lengths of 3.8m, 5.0m, and 7.6m
- Pre-fitted corner elements facilitate installation
- Also available for pentagonal and quadrant showers

SEALING TAPE WDB 95

- System for wall-side sealing
- Available in lengths of 3.8m and 5.0m



SILENCE PLUS


KALDEWEI solutions offer peace of mind when it comes to sound insulation. All our installation systems are available with DIN 4109 and VDI 4100 sound insulation certificates. Obviously, we can also offer you all the products you need for them.

SHOWER TRAY SOUND-ABSORBING SET DWS

- Complete set consisting of sound insulating strips (WES 130 and WAS 70) and four sound-absorbing pads

SHOWER TRAY SOUND-ABSORBING SET DW-ADS

- Four sound-absorbing pads 250 x 250mm
- Adhere to back of the shower surface





INSTALLATION

KALDEWEI installation products perfectly complement the installation frames – with central support systems, where needed.

CENTRAL SUPPORT SYSTEMS 5305 AND 5315

- Support for shower surfaces larger than 90cm
- Flexible wedge system with adapter panels
- MAS 5305 for XETIS, SUPERPLAN, SUPERPLAN PLUS, SUPERPLAN XXL, DUSCHPLAN, DUSCHPLAN XXL, FONTANA, ARRONDO, CORNEZZA, ZIRKON
- MAS 5315 for CONOFLAT



FLAT INSTALLATION

MAXIMUM EFFICIENCY IN SMALL SPACES.


Flat is in. There is a high demand for a floor-level showering solution in renovations and new build developments. KALDEWEI system solutions come with an extra

flat enamelled shower surface and an innovative waste fitting that provide a good and reliable solution even for renovations with shallow screed.

KA 90 – FLAT SYSTEM – IMPRESSIVE PERFORMANCE.

KALDEWEI has developed a new generation of patented waste fittings. Four different models give you a choice of drainage capacity and total height – for unbeatable performance in combination with any KALDEWEI shower surface with a waste diameter of 90mm. Fitting heights range from as little as 62mm (incl. cover).

- Minimum height provides maximum drainage capacity
- A variety of different fittings provide the right solution for almost all installation situations
- Unique design incorporating a waste cover flush with the shower surface
- Also available with anti-seepage connection for the ESR II
- Easy to clean
- Optionally with hair catcher



Schematic diagram of the SCONA with KA 90



KA 90

- Fitting height of only 81mm incl. waste cover
- Horizontal connection
- Drainage capacity 0.9l/s
- Connection diameter of 50mm
- Conforms to DIN EN 274 with 50mm water seal
- Total height with SCONA of only 103mm



KA 90 EXTRA FLAT

- Fitting height of only 70mm incl. waste cover
- Horizontal connection
- Drainage capacity 0.8l/s
- Connection diameter of 50mm
- Does not conform to DIN EN 274 with 30mm water seal
- Total height with SCONA of only 92mm



KA 90 ULTRA FLAT

- Fitting height of only 61mm incl. waste cover
- Horizontal connection
- Drainage capacity 0.8l/s
- Connection diameter of 40mm
- Does not conform to DIN EN 274 with 30mm water seal
- Total height with SCONA of only 83mm




KA 90 VERTICAL

- Fitting height of only 81mm incl. waste cover
- Vertical connection
- Drainage capacity 1.4l/s
- Connection diameter of 50mm
- Conforms to DIN EN 274 with 50mm water seal
- Total height vertically (with floor-level waste fitting) of only 49mm

MEETS SPECIFIC DESIGN STANDARDS:
THE KA 120/KA 125 WITH ENAMELLED COVER.
FOR CONOFLAT AND SUPERPLAN PLUS.

The patented waste fittings KA 120 and KA 125 captivate with looks and performance. With a fitting height of just 83mm (incl. cover), they offer yet another highlight: the enamelled waste cover flush with the shower surface. For a distinctive design and a high level of comfort.

- Minimum heights provide maximum drainage capacities
- Also available with anti-seepage connection for the ESR II
- Enamelled waste cover made of KALDEWEI steel enamel for stability and maximum comfort underfoot
- Also available in vertical design
- Easy to clean
- Optionally with hair catcher



Integrates harmoniously: the KA 120



KA 120
FOR CONOFLAT

- Fitting height of only 83mm
- Drainage capacity 0.85l/s
- Enamelled waste cover
- Conforms to DIN EN 274
- Easy to clean
- Total height of only 107mm



KA 120 VERTICAL
FOR CONOFLAT

- Fitting height of only 83mm
- Drainage capacity 1.4l/s
- Enamelled waste cover
- Conforms to DIN EN 274
- Easy to clean
- Total height vertically (with floor-level waste fitting) of only 49mm




KA 125
FOR SUPERPLAN PLUS

- Fitting height of only 83mm
- Drainage capacity 0.85l/s
- Enamelled waste cover
- Conforms to DIN EN 274
- Easy to clean
- Total height of only 109mm



KA 125 VERTICAL
FOR SUPERPLAN PLUS

- Fitting height of only 83mm
- Drainage capacity 1.4l/s
- Enamelled waste cover
- Conforms to DIN EN 274
- Easy to clean
- Total height vertically (with floor-level waste fitting) of only 49mm



FLEXIBLE BATHROOM DESIGN

THE RIGHT SHOWER SOLUTION FOR ALMOST ANY ROOM SITUATION

Deciding on a shower surface made by KALDEWEI keeps you on the safe side. A wide range of sizes, different designs, surface finishes and technical solutions

leave very little to be desired. 10 ranges, 5 surfaces finishes, 34 colours, 57 different sizes combine to result in more than 50,000 exciting product versions.



DESIGN

Made of superior KALDEWEI steel enamel using state-of-the-art technology the shower creates a unique feel-good atmosphere in the bathroom. Its geometric shape with square radii follows modern lines. Round details and the slight sloping of the shower surface stand in striking contrast. Its sensuous design flows harmoniously into a round waste cover positioned in the centre.

- Floor-level shower
- No visible inner contour
- Wide range of sizes
- Flush-fit central waste cover
- Chrome waste cover (alternatively in the shades of the Coordinated Colours Collection)


KALDEWEI PROFESSIONAL

- Waste fitting KA 90
- Waste fitting KA 90 extra flat
- Waste fitting KA 90 ultra flat
- Waste fitting KA 90 vertical

KALDEWEI PERFECTION

- Coloured waste covers
- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Decoration
- Easy-clean finish

SECURE⁺



SCONA: from 75 x 80cm to 100 x 180cm



DESIGN

With XETIS, KALDEWEI is once again setting new standards in modern bathroom architecture. The new enamelled shower surface with its integrated wall outlet blends perfectly with the bathroom floor to provide new aesthetic scope for stylish design. There is no waste cover to interrupt the homogenous shower surface made of KALDEWEI steel enamel.

- Floor-level shower with wall outlet
- With no visible inner contour
- No waste outlet on the enamelled shower base
- System solution includes all components
- Designer cover removable for easy cleaning



DESIGN PLUS

KALDEWEI PROFESSIONAL

- XETIS installation set 1 with designer cover for tiling
- XETIS installation set 2 with polished chrome designer cover
- XETIS installation set 3 with polished chrome designer cover with collar

KALDEWEI PERFECTION

- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Easy-clean finish

SECURE⁺



XETIS: from 90 x 90cm to 100 x 180cm

Go to film: Installation XETIS





DESIGN

The CONOFLAT has an extremely flat design without any edges to trip over. Exquisitely set in a concentric arrangement, its enamelled waste cover blends seamlessly with the floor-level surface. For new and elegant aesthetics, unlimited freedom of movement and optimal comfort when standing. With a consistent design concept, the shower surface combines perfectly with any product in the CONO range.

- Floor-level shower
- No visible inner contour
- Wide range of sizes
- Enamelled and flush waste cover for maximum comfort underfoot and stability



DESIGN PLUS

KALDEWEI PROFESSIONAL

- Waste fitting KA 120 with enamelled waste cover
- Waste fitting KA 120 vertical with enamelled waste cover

KALDEWEI PERFECTION

- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Decorative pattern
- Easy-clean finish

SECURE⁺



CONOFLAT: from 80 x 80cm to 100 x 180cm



DESIGN

The classic among floor-level showers. This enamelled shower surface is extremely shallow, making it ideal for installation at floor level. The elegant design turns your daily shower routine into an exclusive experience. With a wide range of sizes – from 75 x 80cm to 100 x 180cm – to choose from, the SUPERPLAN shower surface easily fits into almost any room situation.



- Floor-level shower
- Wide range of sizes, also in XXL versions
- Waste cover positioned at the side for generous standing space
- Chrome waste cover (alternatively in the shades of the Coordinated Colours Collection)

KALDEWEI PROFESSIONAL

- Waste fitting KA 90
- Waste fitting KA 90 extra flat
- Waste fitting KA 90 ultra flat
- Waste fitting KA 90 vertical

KALDEWEI PERFECTION

- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Anti-slip decor
- Decorative pattern
- Easy-clean finish

SECURE⁺



SUPERPLAN: from 75 x 80cm to 100 x 180cm

SUPERPLAN PLUS

AVANTGARDE ◆◆◆

32/33 FLEXIBLE

DESIGN

Revolutionising purism. The enamelled flush waste cover blends in harmoniously with the overall design of the SUPERPLAN PLUS emphasising the purist nature of this special enamelled shower surface.

- Floor-level shower
- Distinctive design with large, enamelled cover
- Waste cover positioned at the side for generous standing space
- Enamelled and flush waste cover for maximum comfort underfoot and stability




KALDEWEI PROFESSIONAL

- Waste fitting KA 125 with enamelled waste cover
- Waste fitting KA 125 vertical with enamelled waste cover

KALDEWEI PERFECTION

- Coordinated Colours Collection
- KALDEWEI SECURE PLUS
- Anti-slip
- Full anti-slip
- Anti-slip decor
- Decorative pattern
- Easy-clean finish

SECURE⁺



SUPERPLAN PLUS: from 80 x 80cm to 150 x 150cm

AS UNIQUE AS OUR CUSTOMERS: OUR COLOUR OPTIONS.


The collection of matt colours underlines the special character of our shower surfaces, setting new standards in sensory awareness and quality. In keeping with the

current trends in tiling, the colours of the flush-fit showers in the Coordinated Colours Collection are perfectly coordinated to the tile colours available in the shops.

The perfect bathroom means different things to different people. Our colour palette therefore offers great freedom of design. This allows you to design the bathroom based

entirely on your customer's ideas. Creating for them a place of pure comfort and wellbeing.

COORDINATED COLOURS COLLECTION



Covers for waste fitting KA 90 are available in matching colours

OTHER COLOURS



BEST CHOICE FOR YOUR CUSTOMERS: KALDEWEI PERFECTION.

SLIP RESISTANT: KALDEWEI SECURE PLUS

KALDEWEI offers diversity that extends to the choice of anti-slip finishes – delivering ideal properties to every single customer. Be it anti-slip, full anti-slip or KALDEWEI

SECURE PLUS, each finish is permanently fired into the shower surface for optimised safety underfoot.



The KALDEWEI SECURE PLUS enamel, which covers the entire surface of the product, is virtually invisible, but slip-resistant nonetheless. KALDEWEI SECURE PLUS therefore meets various anti-slip standards including Quality Class B according to DIN 51097 and Quality Class R 10 according to DIN 51130. The surface itself has a subtle feel to it and comes in the refined look of the Coordinated Colours Collection.

SECURE⁺

CLEAN: KALDEWEI EASY-CLEAN FINISH


With the optional easy-clean finish designed by KALDEWEI, the water simply rolls off the shower surface taking virtually all dirt and lime particles with it. Even dried-on water spots and lime deposits can be easily removed. And because you only need a soft, wet cloth instead of aggressive cleaners, the easy-clean finish is a clean affair for the environment, too. Easy-clean finish

is a surface finish that is permanently fired into the KALDEWEI steel enamel. It is characterised by unique durability and long life. Its non-stick properties are guaranteed to remain virtually intact for 30 years even when wiped once or twice a day. Easy-clean finish is available for all KALDEWEI shower surfaces.

SAFE: ANTI-SLIP/FULL ANTI-SLIP

Anti-slip and full anti-slip ensure maximum safety when entering the shower. The anti-slip finish is permanently fired into the KALDEWEI steel enamel. Both finishes additionally meet barrier-free and anti-slip standards. The Rhineland TÜV organisation (German Technical Inspection Association) has certified the KALDEWEI anti-slip and

full anti-slip systems as having anti-slip properties compliant with Quality Class B for barefoot wet areas (DIN 51097) and Quality Class R 10 for anti-slip characteristics in work spaces and working areas with an increased slip risk (DIN 51130).



SUPERPLAN with anti-slip

CONOFLAT with full anti-slip



THERE'S NOTHING LIKE KALDEWEI

Enamelled shower surfaces by KALDEWEI add individuality and elegance to your bathroom. They also stand for quality that lasts and timeless value. It is the unique qualities of KALDEWEI steel enamel that combine to make KALDEWEI shower surfaces exceptionally robust

and supremely hygienic. Perfectly matched components further enhance the synergy of a system that will require no compromise in their installation. KALDEWEI shower surfaces vouch for German quality that is recognised and installed the world over.

OUR STRENGTH: KALDEWEI STEEL ENAMEL.

A UNIQUE MATERIAL
WITH A 30 YEAR GUARANTEE.

The perfect material for perfect design has a name: KALDEWEI steel enamel. Steel and glass – two entirely authentic and natural materials, used for centuries, and each with its own inherent material properties.

Steel signifies strength, toughness, robustness and optimum ductility. Glass is highly resistant to chemical or thermal stress and has an excellent appearance. KALDEWEI steel enamel combines robust steel and

tough glass to form an inseparable bond harnessing the strengths of each material in perfect symbiosis. As a pioneer consistently pushing the boundaries to make the good even better, KALDEWEI has been steadily developing, refining and optimising the special formula and manufacturing processes of KALDEWEI steel enamel for almost a century now. KALDEWEI steel enamel guarantees lasting quality that remains visible, tangible and treasured day after day.



HEAT RESISTANT

Burning and smouldering objects such as cigarettes or candles do not leave marks on the surface.



SCRATCH AND IMPACT RESISTANT

KALDEWEI steel enamel is much harder than acrylic and highly resistant to mechanical stress.



UV RESISTANT

Lightfast, resistant to UV light and does not fade: KALDEWEI steel enamel ensures that shower surfaces look as good as new even after 30 years.



SUSTAINABLE

KALDEWEI manufactures its shower surfaces using only natural materials that can be fully recycled.



TYPICAL KALDEWEI STEEL ENAMEL: EXCELLENT HYGIENE WITH MINIMUM EFFORT.

A bathroom should be a place where people thrive – not bacteria. Constantly changing temperatures and humidity levels in the bathroom create an environment with critical hygiene requirements that frequently offers the ideal breeding ground for microorganisms. KALDEWEI steel

enamel prevents even microscopically tiny scratches where bacteria can settle. All it takes is a damp cloth to clean the surface for exceptional hygiene with minimum effort. General dirt particles and limescale are easily washed away when taking a shower.



Grout in the tiled area
rough, porous

REM image of a cement joint



KALDEWEI steel enamel
closed, pore deep

REM image of KALDEWEI steel enamel



EASY TO CLEAN AND HYGIENIC

Without even the tiniest scratches, bacteria have nowhere to settle. Simply wipe with a damp cloth.



CHEMICAL RESISTANT

Perfume, bath additives or common household detergents will not harm the KALDEWEI steel enamel.



DIMENSIONALLY STABLE

KALDEWEI baths and shower surfaces hardly expand at all in temperature fluctuations, thereby reducing the risk of cracked joints or structural damage through moisture penetration.

EXCELLENT MATERIAL IS THE BEST GUARANTEE.

Seamless surfaces look appealing, but are also superior in structural aspects. Whereas tiled shower floors were still considered stylish up until a few years ago, today's aesthetic and innovative product solutions have come to set entirely new standards. Produced with state-of-the-

art technology using high-quality materials, enamelled shower surfaces clearly outperform tiles in wet areas. An objective comparison that goes into detail clearly shows the differences.



Consistently hygienic: KALDEWEI shower surfaces



Often unhygienic: Grouted shower surface

	KALDEWEI STEEL ENAMEL	TILES
INSTALLATION	<p>QUICK & EASY</p> <ul style="list-style-type: none"> • Perfectly matched systems 	<ul style="list-style-type: none"> • Complex tiling requires thorough sealing and drainage slope
FITTING HEIGHT	<p>LOW</p> <ul style="list-style-type: none"> • Ultraflat shower surfaces and waste fittings 	<ul style="list-style-type: none"> • Low heights may disregard tiling and slope
LOOK	<p>VERSATILE</p> <ul style="list-style-type: none"> • More than 50,000 product versions 	<ul style="list-style-type: none"> • Availability of many tile ranges
MATERIAL PROPERTIES	<p>TOUGH AND SEAMLESS</p> <ul style="list-style-type: none"> • Highly robust and joint-free surface 	<ul style="list-style-type: none"> • Natural stone has a rough surface • Cement joints interrupt the tiled surface • Risk of cracked joints
HYGIENE	<p>EASY-TO-CLEAN & HYGIENIC</p> <ul style="list-style-type: none"> • No germs collect on glass-hard enamel surface • Seamless surface is easy to clean 	<ul style="list-style-type: none"> • Dirt and bacteria settle easily in joints resulting in discoloration and mould • Regular thorough cleaning requires aggressive detergents that can damage the cement joints in the long run
STRUCTURAL SAFETY	<p>SECURE & CERTIFIED</p> <ul style="list-style-type: none"> • Protected against damage from moisture penetration • Meets relevant standards (anti-slip/sound insulation) • 30 year guarantee 	<ul style="list-style-type: none"> • Complex and cost-intensive sealing • Risk of cracked joints • Different guarantees

PERFECTION CANNOT BE IMPROVED.
BUT IT CAN BE EXTENDED.

Thanks to KALDEWEI steel enamel, floor-level shower surfaces appeal with exceptional longevity – as do all our design products for the bathroom. But KALDEWEI steel enamel recommends itself not only for its material properties; its aesthetic qualities deliver equally strong arguments. Designed to let your customers enjoy the

advantages of bathroom furniture made completely of the same material, the floor-level shower surfaces complement our baths and now also our new washbasins in the most optimal way. So impress your customers with individual perfect objects that combine into a perfect unison: a bathroom in one style, one quality and one class.



CONO



CONODUO



CONOFLAT



PENINSULA SHANGHAI *****
China



GRAND HYATT DUBAI *****
United Arab Emirates



NHOW BERLIN ****
Germany



LAPOSCH CHALET *****
Tirol

MADE IN GERMANY. FITTED ACROSS THE WORLD.

KALDEWEI design products appeal where superior quality is valued. Small wonder then that you will find our products in excellent grand hotels, upmarket private residences and even exclusive cruise ship suites – anywhere around the globe. As a worldwide partner, we meet even the most ambitious requests of the world’s leading architects and clients. From the planning to the finished project: bathroom solutions from KALDEWEI appeal with innovative ideas and exquisite designs. But that’s not all:

because of its superior properties KALDEWEI steel enamel scores equally at global level – especially in places such as care facilities. The reason being, our unique material guarantees absolute hygiene. Even the smallest dirt particles are easily wiped away with just a damp cloth. We set the bar high with standards based primarily on one aspect: our customers and their ideas – wherever they are in the world.



MARINA BAY SANDS *****
Singapore




AIDADIVA
Germany

THE SHOWER SURFACES



XETIS
From 90 x 90 cm to 100 x 180 cm



CONOFLAT
From 80 x 80 cm to 100 x 180 cm



SUPERPLAN PLUS
From 80 x 80 cm to 150 x 150 cm



SUPERPLAN
From 75 x 80 cm to 100 x 180 cm



SCONA
From 75 x 80 cm to 100 x 180 cm



KALDEWEI

GERMANY

Franz Kaldewei GmbH & Co. KG
Beckumer Straße 33–35
59229 Ahlen
tel. +49 2382 785 0
fax +49 2382 785 200
kaldewei.de

ADRIATIC STATES

Björn Zimmermann
tel. +49 2382 785 278
bjoern.zimmermann@kaldewei.de

AUSTRALIA

Bathe
tel. +61 2 9518 0163
sales@bathe.net.au

AUSTRIA

Kaldewei Österreich GmbH
tel. +49 2382 785 0
info@kaldewei.com

BALTIC STATES

Julijus Neufeld
tel. +370 068573525
j.neufeld@ivc.lt

BELGIUM

Egeda NV
tel. +32 14 22 26 08
info@egeda.be

CHINA

Kaldewei Far East Ltd.
tel. +86 21 6473 7813
info@kaldewei.cn

CIS COUNTRIES

Laurence Webb
tel: +49 160 90134351
laurence.webb@kaldewei.de

CZECH REPUBLIC/SLOVAKIA

Kaldewei CS, s.r.o.
tel. +420 226 218 590
info@kaldewei.cz

FINLAND

IMG Interiors
tel. +358 9 622 9150
img.interiors@co.inet.fi

FRANCE

Kaldewei s.a.r.l
Raymond Piquemal
tel. +33 6 29 05 76 37
raymond.piquemal@kaldewei.com

GREECE

Niveco AG
tel. +30 21 0988 0180
nikitasvlachos@niveco.gr

HUNGARY

Török Szaniter Bt.
tel. +36 1 2501846
kaldewei@kaldewei.hu

ICELAND

Trobeco
tel. +354 5 113131
trobeco@mmedia.is

INDIA

Kaldewei South East Asia Pte. Ltd.
tel. +91 22 26855468
anita.shinde@kaldewei.com

ITALY

Kaldewei Italia S.r.l.
tel. +39 0438 179 7826
info-it@kaldewei.com

JAPAN/SOUTH KOREA

Kaldewei Far East Ltd.
tel. +852 9652 1937
jacky.yau@kaldewei.com

MIDDLE EAST/NORTH AFRICA/ SOUTHERN EUROPE

Diane Ritzau-Starkmann
tel. +49 171 4933624
diane.ritzau-starkmann@kaldewei.de

NETHERLANDS

Wijnbeek Sanitair BV
tel. +31 251 361 010
mail@wijnbeek.nl

NEW ZEALAND

Metrix Imports Ltd.
tel. +64 9 444 5656
info@metrix.co.nz

POLAND

Kaldewei Polska Spółka z o.o.
tel. +48 22 720 16 03
poczta@kaldewei.pl

RUSSIA

000 Kaldewei
tel. +7 495 232 1951
info.russia@kaldewei.com

SCANDINAVIA

Björn Zimmermann
tel. +49 2382 785 278
bjoern.zimmermann@kaldewei.de

SERBIA

Björn Zimmermann
tel. +49 2382 785 278
bjoern.zimmermann@kaldewei.de

SOUTH AFRICA

Jeeves
tel. +27 21 701 9113
info@jeeves.co.za

SOUTH EAST ASIA

Kaldewei South East Asia Pte. Ltd.
tel. +65 6899 2487
info@kaldewei.sg

SPAIN

Kaldewei España, S.L.
tel. +34 93 224 1150
info@kaldewei.es

SWITZERLAND

Zentrallager Schweiz
tel. +41 62 205 21 00
lager.schweiz@kaldewei.com

UKRAINE

B. Byshovets
tel. +380 50 3104265
kaldewei@ua.fm

UNITED KINGDOM

Kaldewei UK Ltd.
tel. +44 1480 498 053
info-uk@kaldewei.com

UNITED STATES/CANADA

Kaldewei USA Inc.
tel. +1 866 822 2527
chad.novinger@kaldewei.com